

CITY OF JEFFERSON
Food Establishment Inspection Report
 Listing of Violations by Facility ID and Activity Date

Facility Name & Address	Description	Status
APPLEBEE'S NEIGHBORHOOD GRILL 2319 MISSOURI BLVD JEFFERSON CITY, MO 65109		
ROUTINE INSPECTION	Occurred 11/19/19	
	OBSERVED: Item in the cooler drawer was not at the proper temperature CORRECTED ON SITE	PRIORITY
	OBSERVED: Utensil in the storage area was not properly stored. OBSERVED: Torn gaskets present on the reach in coolers.	CORE CORE
ARRIS BISTRO & THE LIQUID LOUNGE 409 W MILLER ST X JEFFERSON CITY, MO 65101		
ROUTINE INSPECTION	Occurred 11/13/19	
	OBSERVED: soap for hand washing not present at bar hand sink. OBSERVED: broken glass on floor in bar glass storage freezer. OBSERVED: wiping clothes not stored in sanitizer solution between uses.	CORE CORE CORE
BREAK TIME #3045 1940 W MAIN ST JEFFERSON CITY, MO 65109		
ROUTINE INSPECTION	Occurred 11/12/19	
	OBSERVED: Broken utensil in the donut case CORRECTED ON SITE OBSERVED: Shelves in the walk in cooler had debris present OBSERVED: Cheeseburgers and corn dogs were not at the proper temperature in the hot case CORRECTED ON SITE	CORE CORE PRIORITY
CHINA KING 3720 W TRUMAN BLVD STE A JEFFERSON CITY, MO 65109		
ROUTINE INSPECTION	Occurred 11/18/19	
	OBSERVED: Paper towels not on a holder at the hand sink OBSERVED: No paper towels present in the men's restroom. CORRECTED ON SITE OBSERVED: In use utensil not stored properly OBSERVED: Cleaned utensil had debris present CORRECTED ON SITE OBSERVED: Food stored on the floor CORRECTED ON SITE	CORE CORE PRIORITY

CITY OF JEFFERSON
Food Establishment Inspection Report
 Listing of Violations by Facility ID and Activity Date

Facility Name & Address
CONVENIENT FOOD MART
426 BROOKS ST
JEFFERSON CITY, MO 65109

Description

Occurred
 FOLLOW-UP 11/07/19
 INSPECTION

Description	Status
OBSERVED: single service item boxes stored on floor in dry goods storeroom.	CORE
OBSERVED: dust present on ceiling in customer self-serve area. Floors not clean in dry goods storeroom.	CORE
OBSERVED: food debris present in trash cabinets.	
OBSERVED: base coving in disrepair in food preparation area.	
OBSERVED: bottom of reach in coolers has food debris present.	CORE

Occurred
 FOLLOW-UP 11/19/19
 INSPECTION

Description	Status
OBSERVED: food product/trash debris on floor under shelves in walk in cooler.	CORE
OBSERVED: single service items boxes stored on floor in storeroom.	CORE

DOLLAR GENERAL STORE #1433
2114 SCHOTTHILL WOODS DR
JEFFERSON CITY, MO 65101

Description	Status
-------------	--------

Occurred
 ROUTINE 11/14/19
 INSPECTION

OBSERVED: Returned potentially hazardous foods not stored in a temperature controlled area.	PRIORITY
CORRECTED ON SITE	
OBSERVED: Debris present in the bottom of a reach in cooler	CORE

SAPPHIRE'S
422 MONROE ST
JEFFERSON CITY, MO 65101

Description	Status
-------------	--------

Occurred
 ROUTINE 11/21/19
 INSPECTION

OBSERVED: grease accumulation on ceiling and wall above fryer area.	CORE
---	------

ECCO LOUNGE
703 JEFFERSON ST
JEFFERSON CITY, MO 65101

Description	Status
-------------	--------

Occurred
 ROUTINE 11/18/19
 INSPECTION

OBSERVED: bottom of bar GE Cooler has spilled mixes present, ice maker shatter plate is dirty [cleaned while on site]	CORE
OBSERVED: sides of kitchen cooking equipment line is soiled with build up as well as hood and filters	
OBSERVED: some food stored on basement shelving below overhead sewer line without protection [manager stated he would move food product later today]	CORE
OBSERVED: walls and shelving in kitchen are soiled with food debris	CORE
OBSERVED: open ceiling present by dish machine [replace panel or screen]	
OBSERVED: second sink of bar 4 hole sink has hole [leak] present	

SUBWAY
3218 W EDGEWOOD DR STE 800
JEFFERSON CITY, MO 65109

Description	Status
-------------	--------

Occurred
 ROUTINE 11/06/19
 INSPECTION

OBSERVED: Floor had debris present.	CORE
-------------------------------------	------

CITY OF JEFFERSON
Food Establishment Inspection Report
 Listing of Violations by Facility ID and Activity Date

Facility Name & Address
EL ESPOLON MEXICAN RESTAURANT
915 EASTLAND DR X
JEFFERSON CITY, MO 65101

Description

ROUTINE INSPECTION
 Occurred 11/04/19

Description	Status
OBSERVED: one kitchen hood is missing filters	CORE
OBSERVED: drink ice [ice maker] used to cool other food [soda can]	CORE
OBSERVED: back door is warped and ill fitting leaving possible vermin entrance [replacement door ordered]; some ceramic wall tile is coming loose and/or missing at dish station	CORE

EL JIMADOR
2930 W EDGEWOOD DR
JEFFERSON CITY, MO 65109

Description	Status
-------------	--------

ROUTINE INSPECTION
 Occurred 11/05/19

OBSERVED: kitchen ceiling has wrong tile construction on replacement tiles; clean corners at soda chase; kitchen ceiling tiles need cleaning	CORE
OBSERVED: meat walk in cooler shelving has food debris present	CORE
OBSERVED: leaks under triple sink; ice maker has broken drain pipes; standing water in soda chase pipe	CORE
OBSERVED: possible cross contamination of food due to improper storage of meats with and above produce and ready to eat food	PRIORITY
OBSERVED: foods in meats walk in cooler above required 41 F, at 47-48 F	PRIORITY
OBSERVED: chemicals stored with and above food products in storeroom and on shelves	PRIORITY

FOLLOW-UP INSPECTION
 Occurred 11/20/19

Description	Status
OBSERVED: leaks present under triple sink	CORE
OBSERVED: kitchen ceiling tiles has wrong tile construction for the replacement tiles	CORE

HUNAN RESTAURANT
1416 MISSOURI BLVD X
JEFFERSON CITY, MO 65109

Description	Status
-------------	--------

ROUTINE INSPECTION
 Occurred 11/21/19

OBSERVED: final rinse gauge of dish machine is broken	CORE
OBSERVED: ladies restroom lacks covered trash can	CORE
OBSERVED: walk in cooler shelves are soiled, need further cleaning; bar stem mixer has soiled underside	CORE

MEL'S COUNTRY CAFE INC.
2421 INDUSTRIAL DR X
JEFFERSON CITY, MO 65109

Description	Status
-------------	--------

ROUTINE INSPECTION
 Occurred 11/14/19

OBSERVED: detail cleaning of walk in cooler condenser, fryers, oven sides, etc needed	CORE
OBSERVED: servers hand sink is loose from wall, secure and re-caulk; kitchen hand sink used for temporary dish table, blocked by pitchers awaiting washing	CORE
OBSERVED: floors and piping behind stoves, fryers, grills are soiled and need further cleaning	
OBSERVED: new kitchen addition is lacking coved base, wall repair trim and caulking, ceiling access trim work	
OBSERVED: worn equipment waiting removal stored on parking lot	

CITY OF JEFFERSON
Food Establishment Inspection Report
 Listing of Violations by Facility ID and Activity Date

Facility Name & Address
MICHIGAN PLACE EXPO CENTER
714 MICHIGAN ST
JEFFERSON CITY, MO 65109
 Occurred
 ROUTINE 11/22/19
 INSPECTION

Description

Description	Status
OBSERVED: lighting in locked storage room is non-functional [repair]	CORE
OBSERVED: shatter plate in ice maker is nicked and rough [smooth surface required]	CORE

OSCAR'S CLASSIC DINER
2118 SCHOTTHILL WOODS DR
JEFFERSON CITY, MO 65101
 Occurred
 ROUTINE 11/20/19
 INSPECTION

Description	Status
OBSERVED: epoxy floor eroding in servers expo area	CORE
OBSERVED: trash dumpster has leak running down driveway; cardboard dumpster is missing a lid	CORE
OBSERVED: bottom drawer of breading station has temperature above required 41 F in use [monitor and repair]	CORE

PRISON BREWS
305 ASH ST
JEFFERSON CITY, MO 65101
 Occurred
 ROUTINE 11/25/19
 INSPECTION

Description	Status
OBSERVED: dust accumulation on wall/ceiling in fryer area.	CORE
OBSERVED: hand washing sink not accessible for use.	CORE

STADIUM 66
807 STADIUM BLVD
JEFFERSON CITY, MO 65109
 Occurred
 ROUTINE 11/13/19
 INSPECTION

Description	Status
OBSERVED: No paper towels present in the restroom	CORE
OBSERVED: No handwashing sign present in the restroom.	
CORRECTED ON SITE	

THREE STORY COFFEE LLC--DUNKLIN
122 E DUNKLIN ST
JEFFERSON CITY, MO 65101
 Occurred
 ROUTINE 11/13/19
 INSPECTION

Description	Status
OBSERVED: insufficient hot water supply when using triple sink and hand sinks	PRIORITY

PRETZEL MAKER
3600 COUNTRY CLUB DR STE 120
JEFFERSON CITY, MO 65109
 Occurred
 ROUTINE 11/07/19
 INSPECTION

Description	Status
OBSERVED: Triple sink is backing up and grease inceptor is not working correctly.	CORE

CITY OF JEFFERSON
Food Establishment Inspection Report
 Listing of Violations by Facility ID and Activity Date

Facility Name & Address	<u>Description</u>	Status
GERBES WEST MEAT DEPARTMENT 2805 W TRUMAN BLVD JEFFERSON CITY, MO 65109		
ROUTINE INSPECTION 0	Occurred 11/04/19 No Violations Cited	
DISCOVERY PLACE 1448 AARON CT JEFFERSON CITY, MO 65101		
ROUTINE INSPECTION 0	Occurred 11/06/19 No Violations Cited	
MOCHAS 422 MONROE ST JEFFERSON CITY, MO 65101		
ROUTINE INSPECTION 0	Occurred 11/21/19 No Violations Cited	
COLTON'S STEAKHOUSE 2415 MISSOURI BLVD JEFFERSON CITY, MO 65109		
ROUTINE INSPECTION	Occurred 11/05/19	
	OBSERVED: Insufficient hot water capacity for kitchen. PRIORITY OBSERVED: floors not clean under equipment in kitchen, commercial dish washing station/drain board, under preparation tables, under bar equipment, in utility closet by bathrooms. CORE OBSERVED: walls not clean in areas in kitchen with food debris. OBSERVED: hand washing fixtures not clean. OBSERVED: hand soap/disposable paper towels not available at bar hand sink. CORE OBSERVED: interior/exterior four door meat prep cooler, exterior glass door cooler not clean. CORE OBSERVED: interior mug freezer bottom has debris present.	
FOLLOW-UP INSPECTION	Occurred 11/14/19	
	OBSERVED: floor not clean under bar equipment. CORE	
UNILEVER CORPORATION CAFETERIA 2900 W TRUMAN BLVD JEFFERSON CITY, MO 65109		
ROUTINE INSPECTION	Occurred 11/19/19	
	OBSERVED: slicer guard has food debris present CORE CORRECTED ON SITE: guard cleaned while present OBSERVED: some open ceiling tiles present in facility CORE	
SAWADDEE THAI CUISINE 2215 MISSOURI BLVD JEFFERSON CITY, MO 65109		
ROUTINE INSPECTION	Occurred 11/20/19	
	OBSERVED: No sanitizer present in the dish washer PRIORITY	

CITY OF JEFFERSON
Food Establishment Inspection Report
 Listing of Violations by Facility ID and Activity Date

Facility Name & Address	<u>Description</u>	Status
GERBES WEST PRODUCE DEPARTMENT 2805 W TRUMAN BLVD JEFFERSON CITY, MO 65109		
ROUTINE INSPECTION 0	Occurred 11/19/19 No Violations Cited	
PRECIOUS GEMS ACADEMY 312 STADIUM BLVD JEFFERSON CITY, MO 65101		
ROUTINE INSPECTION	Occurred 11/18/19 OBSERVED: Refrigerator was not at the proper temperature OBSERVED: No date marks present	Status PRIORITY PRIORITY
CHILDREN'S GARDEN OF KNOWLEDGE, LLC 1914 SOUTHRIDGE DR JEFFERSON CITY, MO 65109		
ROUTINE INSPECTION 0	Occurred 11/15/19 No Violations Cited	Status
SAM'S CLUB #6505-MEAT 849 STONERIDGE PKWY JEFFERSON CITY, MO 65109		
ROUTINE INSPECTION	Occurred 11/01/19 OBSERVED: Debris present under the display racks	Status CORE
SAM'S CLUB #6505-CAFE 849 STONERIDGE PKWY JEFFERSON CITY, MO 65109		
ROUTINE INSPECTION	Occurred 11/08/19 OBSERVED: Food boxes stored on the floor in the walk in cooler OBSERVED: Ice Cream machine had debris present CORRECTED ON SITE	Status CORE
THREE STORY COFFEE--MILLBOTTOM 400 W MAIN ST UNIT A JEFFERSON CITY, MO 65101		
ROUTINE INSPECTION	Occurred 11/22/19 OBSERVED: oven door front [inside] soiled with food debris	Status CORE
LITTLE CAESAR'S PIZZA 821 EASTLAND DR STE B JEFFERSON CITY, MO 65101		
ROUTINE INSPECTION	Occurred 11/05/19 OBSERVED: No paper towels present at the hand sink OBSERVED: No toilet paper present in the employee restroom. CORRECTED ON SITE OBSERVED: Crumb trays on the oven had debris present OBSERVED: Boxes stored on the floor in the walk in cooler CORRECTED ON SITE	Status CORE CORE PRIORITY

CITY OF JEFFERSON
Food Establishment Inspection Report
 Listing of Violations by Facility ID and Activity Date

Facility Name & Address	<u>Description</u>	Status
PAPA MURPHY'S TAKE AND BAKE PIZZA 1803 MISSOURI BLVD JEFFERSON CITY, MO 65109		
Occurred	Description	Status
ROUTINE INSPECTION	11/14/19	
	OBSERVED: Items in the walk in cooler were not date labeled	PRIORITY
	CORRECTED ON SITE	
	OBSERVED: No sanitizer present in the triple sink	PRIORITY
	CORRECTED ON SITE	
	OBSERVED: No paper towels present at the hand sinks	
	OBSERVED: Can opener had debris present	
	CORRECTED ON SITE	
LOVE 2 NOURISH 700 E HIGH ST JEFFERSON CITY, MO 65101		
Occurred	Description	Status
ROUTINE INSPECTION	11/26/19	
	OBSERVED: damaged floor tile and open seam in kitchen	CORE
WISDOM WOODS PREP ACADEMY 3219 MASONIC CT JEFFERSON CITY, MO 65109		
Occurred	Description	Status
ROUTINE INSPECTION	11/12/19	
0	No Violations Cited	
PIZZA HUT 3731 W TRUMAN BLVD JEFFERSON CITY, MO 65109		
Occurred	Description	Status
ROUTINE INSPECTION	11/08/19	
0	No Violations Cited	
MUNICHBERG TAVERN 130 E DUNKLIN ST JEFFERSON CITY, MO 65101		
Occurred	Description	Status
ROUTINE INSPECTION	11/05/19	
	OBSERVED: soiled food contact surfaces of utensils [pizza spatula & knives]	PRIORITY
	CORRECTED ON SITE: utensils were washed/rinsed/sanitized before use	
	OBSERVED: single service articles [paper plates] stored improperly	CORE
	CORRECTED ON SITE: sleeves of plates moved from under hand sink drain to safe storage	

CITY OF JEFFERSON
Food Establishment Inspection Report
Listing of Violations by Facility ID and Activity Date

Facility Name & Address

Description

GOTHAM GRILL
200 MADISON ST
JEFFERSON CITY, MO 65101
Occurred
ROUTINE 11/08/19
INSPECTION

Description

Status

OBSERVED: boxed single-service items found on floor [keep elevated]	CORE
OBSERVED: no paper towels present at back hand wash sink	CORE
OBSERVED: can opener and table top mixer are soiled [clean]	CORE
OBSERVED: sausage patties in top of make table above 41 F, at 45-50 F.	CORE