# SAFETY DATA SHEET

Pro Form Products Ltd. 604 McGeachie Drive Milton, Ontario, L9T 3Y5 Canada 905-878-4990

# PRODUCT: 10046 FIBREGLASS CLOTH TAPE

**FORM** 

## **SECTION 01: IDENTIFICATION**

Initial supplier identifier	604 McGeachie Drive Milton, Ontario L9T3Y5
Product identifier	Tel (905) 878-4990 Fax (905) 878-1189 10046 FIBREGLASS CLOTH TAPE
Recommended use and restrictions on	Automotive.
use	
Chemical family	Fiberalass
Chemical family NFPA rating	Health: 0 Fire: 0 Reactivity: 0.
HMIS	
	IN THE UNITED STATES CALL CHEMTRÉC 1-800-424-9300.
	** For medical emergencies contact your local poison control centre **.

#### **SECTION 02: HAZARD IDENTIFICATION**

SECTION 04: FIRST-AID MEASURES

Signal Word Hazard Classification Hazard Description Prevention Note	Not classified.
	classified product.

SECTION 03: COMPOSITION / INFORMATION ON INGREDIENTS		
CHEMICAL NAME AND SYNONYMS	CAS #	WT. %
Glass, oxide, chemicals	65997-17-3	98

Eye contact	In case of contact, immediately flush eyes, keeping eyelids open, with plenty of water for at
Skin contact	least 15 minutes. Consult a physician if irritation continues. Wash using plenty of soap and water. Remove contaminated clothing. Wash clothing
Inhalation	before reuse. If irritation persists, seek medical attention. If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is
Ingestion	difficult, give oxygen, obtain medical attention. Ingestion is unlikely. Contact a physician if unusual reaction is noted.
Most important symptoms and effects, whether acute or delayed	May cause slight eye irritation. May cause mild skin irritation. May cause respiratory irritation. May cause mechanical irritation.
whether acute or delayed Additional information	Treat victims symptomatically. In the event of an incident involving this product ensure that medical authorities are provided a copy of this safety data sheet.

Use extinguishing media that is applicable to surrounding fire.

#### SECTION 05: FIRE-FIGHTING MEASURES

Suitable and unsuitable extinguishing ..... media Specific hazards arising from the ......

Does not support combustion.

Specific hazards arising from the ...... hazardous product, such as the nature of any hazardous combustion products Special protective equipment and ...... precautions for fire-fighters

Firefighter should be equipped with self-contained breathing apparatus and full protective clothing to protect against potentially toxic and irritating fumes.

# SECTION 06: ACCIDENTAL RELEASE MEASURES

Leak/spill.....

... Remove mechanically by method which minimizes generation of airborne dust (ie. Vacuum). Avoid dust accumulation. Pick up. Put in a container.

# SECTION 07: HANDLING AND STORAGE

Precautions for safe handling.....

. Avoid dust generation. Avoid skin and eye contact. Avoid breathing dust. Remove contaminated clothing before reuse. Wash thoroughly after handling. Wash contaminated clothing prior to reuse. Avoid smoking, drinking or eating in use.

Powered by



SAFETY DATA SHEET

## PRODUCT: 10046 FIBREGLASS CLOTH TAPE

## **SECTION 07: HANDLING AND STORAGE**

Conditions for safe storage, including any Store under cover to protect product. incompatibilities

## SECTION 08: EXPOSURE CONTROLS / PERSONAL PROTECTION

INGREDIENTS	ACG TWA	GIH TLV STEL	OSHA PEL	STEL	NIOSH REL
Glass, oxide, chemicals	Synthetic vitreous fibers: 1 f/cc (continuous filament glass fibers)	t	Total nuisance dust: 15 mg/m3 Respirable nuisance dust: 5 mg/m3		Total glass dust: 5 mg/m3 Respirable fibers: 3 f/cc
Respiratory/type Eye/type Gloves/ type Clothing/type Footwear/type Other/type Appropriate engineering	rr e S V V e S S Controls C g g v v	Local exhaust ventilation is ecommended if the airbor exposure limits. Safety glasses. Wear protective gloves. Vear adequate protective exposure. Safety boots per local regu Emergency showers and e heir hands and face befor Provide natural or mechai exposure limits. Local mec	rne dust concentration clothes. Wear long slo ulations. eye wash stations sho re eating, drinking, or u nical ventilation to con chanical exhaust venti en process equipmen be emitted. Standard	is near or exceeds the eeves and trousers to p uld be available. Emplo using tobacco products, trol exposure levels be lation should be used a t, or during purging ope	nuisance dust revent dermal oyees should wash ow airborne t sources of air rations, to capture arding industrial

# SECTION 09: PHYSICAL AND CHEMICAL PROPERTIES

Appearance/Physical state Colour Odour threshold (ppm) Vapour pressure (mm Hg) Vapour density (air=1) Relative Density (Specific Gravity) pH Melting / Freezing point (deg C). Initial boiling point / boiling range (deg C). Solubility Evaporation rate Flash point (deg C), method Auto ignition temperature (deg C) Upper flammable limit (% vol) Lower flammable limit (% vol) Coefficient of water\oil distribution VOC Viscosity	Solid. Fibers assembled into fabrics. White. No odour. Not applicable. Not applicable. 2.60. (glass). Not applicable. > 870 C. > 870 C. Insoluble. Not applicable. Does not support combustion. Not applicable. Not applicable. Not applicable. No Data. No Data. No data. Not Applicable.
--	--

# **SECTION 10: STABILITY AND REACTIVITY**

Chemical stability
Reactivity
ossibility of hazardous reactions
conditions to avoid, including static
lischarge, shock or vibration
lazardous decomposition products

This is a stable material. Will not react. Will not occur under normal temperature and pressure. Hydrofluoric acid will attack glass.

No hazardous decomposition products when stored and handled correctly.

#### SECTION 11: TOXICOLOGICAL INFORMATION

#### INGREDIENTS

LC50

LD50

Glass, oxide, chemicals

No data

**ECIS** 

No data

Route of exposure..... Eye contact. Skin contact. Inhalation.

Powered by

SAFETY DATA SHEET

# PRODUCT: 10046 FIBREGLASS CLOTH TAPE

#### SECTION 11: TOXICOLOGICAL INFORMATION

Effects of acute exposure	Fiber glass may cause temporary skin irritation in certain individuals. Fiber glass may cause temporary eye irritation and upper respiratory irritation.
Effects of chronic exposure Carcinogenicity of material	No known adverse effects. IARC determined that the data from both human and animal studies was inadequate to
Reproductive effects	classify continuous filament glass fibers as carcinogenic to humans. None.

## **SECTION 12: ECOLOGICAL INFORMATION**

Environmental..... Persistence and degradability..... Not classified as an air pollutant. Not available.

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

Information on safe handling for disposal . and methods of disposal, including any contaminated packaging

Waste material is not considered hazardous. Dispose of waste in accordance with all applicable Federal, Provincial/State and local regulations.

## **SECTION 14: TRANSPORT INFORMATION**

TDG Classification	N
DOT Classification (Road)	N
IATA Classification (Air)	N
IMDG Classification (Marine)	
Marine Pollutant	N
Proof of Classification	In
	0

Not regulated. Not regulated. Not regulated. Not regulated. No. n accordance with Part 2.2.1 of the Transportation of Dangerous Goods Regulations (July

2, 2014) - we certify that classification of this product is correct. .

#### **SECTION 15: REGULATORY INFORMATION**

CEPA status TSCA inventory status OSHA SARA Title III	This is an article and not subject to the DSL. All components are either listed or exempt from the TSCA This product is not hazardous.
Section 302 - extremely hazardous	None.
Section 311/312 - hazard categories Section 313	This product is not hazardous. None.
EPA hazardous air pollutants (HAPS) 40CFR63	None.
California Proposition 65	This product does not contain any chemical(s) known to the State of California to cause cancer or reproductive toxicity.

## **SECTION 16: OTHER INFORMATION**

Prepared by: Telephone number: Disclaimer:	(800) 387-7981.
Date of the latest revision of the safety data sheet	MAY 08/2018

