

Pro Form Products Ltd. 604 McGeachie Drive Milton, Ontario, L9T 3Y5 Canada 905-878-4990

PRODUCT: 10046 FIBREGLASS CLOTH TAPE

SECTION 01: IDENTIFICATION

Initial supplier identifier..... Pro Form Products Ltd.

604 McGeachie Drive

Milton, Ontario L9T3Y5 Tel (905) 878-4990 Fax (905) 878-1189

10046 FÍBREGLASS CLÒTH TAPE

Product identifier..... Recommended use and restrictions on ...

Chemical family.....

Fiberglass. Health: 0 Fire: 0 Reactivity: 0.

NFPA rating..... HMIS..... H: 1 F: 0 R: 0.

Automotive.

For transportation emergencies (in Canada) call CANUTEC 1-888-226-8832 (CAN-UTEC); IN THE UNITED STATES CALL CHEMTREC 1-800-424-9300. 24 hour emergency number:.....

For medical emergencies contact your local poison control centre **.

SECTION 02: HAZARD IDENTIFICATION

Not a classified or a controlled product.

Hazard Classification..... Not classified. Hazard Description..... Not classified.

Prevention..... No special precautions necessary

This product does not meet the OSHA Hazard Communication, Globally Harmonized Note

System or Workplace Hazardous Materials Information System criteria as a controlled or

classified product.

SECTION 03: COMPOSITION / INFORMATION ON INGREDIENTS

CHEMICAL NAME AND SYNONYMS CAS# WT. %

65997-17-3 98 Glass, oxide, chemicals

SECTION 04: FIRST-AID MEASURES

In case of contact, immediately flush eyes, keeping eyelids open, with plenty of water for at Eye contact.....

least 15 minutes. Consult a physician if irritation continues.

Wash using plenty of soap and water. Remove contaminated clothing. Wash clothing Skin contact.....

Inhalation.....

before reuse. If irritation persists, seek medical attention. If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is

difficult, give oxygen, obtain medical attention.

Ingestion is unlikely. Contact a physician if unusual reaction is noted.

Most important symptoms and effects, May cause slight eye irritation. May cause mild skin irritation. May cause respiratory

whether acute or delayed Additional information.....

irritation. May cause mechanical irritation. Treat victims symptomatically. In the event of an incident involving this product ensure that

medical authorities are provided a copy of this safety data sheet.

SECTION 05: FIRE-FIGHTING MEASURES

Suitable and unsuitable extinguishing

media

Specific hazards arising from the

hazardous product, such as the nature of any hazardous combustion products

Special protective equipment and

precautions for fire-fighters

Use extinguishing media that is applicable to surrounding fire.

Does not support combustion.

Firefighter should be equipped with self-contained breathing apparatus and full protective clothing to protect against potentially toxic and irritating fumes.

SECTION 06: ACCIDENTAL RELEASE MEASURES

Remove mechanically by method which minimizes generation of airborne dust (ie. Leak/spill..... Vacuum). Avoid dust accumulation. Pick up. Put in a container.

SECTION 07: HANDLING AND STORAGE

Precautions for safe handling..... Avoid dust generation. Avoid skin and eye contact. Avoid breathing dust. Remove contaminated clothing before reuse. Wash thoroughly after handling. Wash contaminated

clothing prior to reuse. Avoid smoking, drinking or eating in use.

PRODUCT: 10046 FIBREGLASS CLOTH TAPE

SECTION 07: HANDLING AND STORAGE

Conditions for safe storage, including any Store under cover to protect product. incompatibilities

SECTION 08: EXPOSURE CONTROLS / PERSONAL PROTECTION

INGREDIENTS	TWA ACGI	H TLV STEL	OSHA PEL	PEL STEL	NIOSH REL
, ,	Synthetic vitreous fibers: 1 f/cc (continuous filament glass fibers)		Total nuisance dust: 15 mg/m3 Respirable nuisance dust: 5 mg/m3		Total glass dust: 5 mg/m3 Respirable fibers: 3 f/cc
Respiratory/type Eye/type Gloves/ type Clothing/type Footwear/type Other/type Appropriate engineering	re- ex Sa	cal exhaust ventilation is commended if the airbor posure limits. afety glasses. ear protective gloves. ear adequate protective posure. afety boots per local regunergency showers and fer hands and face befor rovide natural or mechan posure limits. Local mechan posure limits. Local mechan posure limits. Accal mechan posure limits. Accal mechan posure limits. Local mechan posure limits.	clothes. Wear long sle ulations. eye wash stations show e eating, drinking, or unical ventilation to con- chanical exhaust ventilen process equipment to be emitted. Standard	eves and trousers to puld be available. Emploising tobacco products. trol exposure levels belation should be used at , or during purging opereference sources regar	revent dermal byees should wash ow airborne t sources of air rations, to capture arding industrial

SECTION 09: PHYSICAL AND CHEMICAL PROPERTIES

Appearance/Physical state..... Solid. Fibers assembled into fabrics. White. Colour..... No odour. Odour threshold (ppm)..... Not applicable. Vapour pressure (mm Hg)..... Not applicable. Vapour density (air=1)..... Not applicable. Relative Density (Specific Gravity)..... 2.60. (glass). pH..... Melting / Freezing point (deg C).... Not applicable. > 870 C. Initial boiling point / boiling range (deg C). > 870 C. Solubility..... Insoluble. Evaporation rate..... Not applicable. Does not support combustion. Flash point (deg C), method..... Auto ignition temperature (deg C)..... Not applicable. Upper flammable limit (% vol)..... Lower flammable limit (% vol)..... Not applicable. No Data. Partition coefficient — n-octanol/water.....
VOC (less water)..... No data. No data.

SECTION 10: STABILITY AND REACTIVITY

Chemical stability...... This is a stable material.

Reactivity Will not react.

Possibility of hazardous reactions............. Will not occur under normal temperature and pressure.

Not Applicable.

Conditions to avoid, including static Hydrofluoric acid will attack glass.

discharge, shock or vibration

Viscosity.....

Hazardous decomposition products......... No hazardous decomposition products when stored and handled correctly.

SECTION 11: TOXICOLOGICAL INFORMATION

INGREDIENTS LC50 LD50

Glass, oxide, chemicals No data No data

Route of exposure...... Eye contact. Skin contact. Inhalation.



10046 FIBREGLASS CLOTH TAPE PRODUCT:

SECTION 11: TOXICOLOGICAL INFORMATION

Fiber glass may cause temporary skin irritation in certain individuals. Fiber glass may Effects of acute exposure.....

cause temporary eye irritation and upper respiratory irritation.

Effects of chronic exposure..... No known adverse effects.

Carcinogenicity of material..... IARC determined that the data from both human and animal studies was inadequate to

classify continuous filament glass fibers as carcinogenic to humans.

Reproductive effects..... None.

SECTION 12: ECOLOGICAL INFORMATION

Environmental..... Not classified as an air pollutant.

Persistence and degradability..... Not available.

SECTION 13: DISPOSAL CONSIDERATIONS

Information on safe handling for disposal . and methods of disposal, including any contaminated packaging

Waste material is not considered hazardous. Dispose of waste in accordance with all applicable Federal, Provincial/State and local regulations.

SECTION 14: TRANSPORT INFORMATION

Not regulated. Not regulated. IATA Classification (Air)..... Not regulated. IMDG Classification (Marine)..... Not regulated.

Marine Pollutant..... No.

In accordance with Part 2.2.1 of the Transportation of Dangerous Goods Regulations (July Proof of Classification.....

2, 2014) - we certify that classification of this product is correct. .

SECTION 15: REGULATORY INFORMATION

This is an article and not subject to the DSL. All components are either listed or exempt from the TSCA. . TSCA inventory status.....

OSHA..... This product is not hazardous.

SARA Title III

Section 302 - extremely hazardous None.

substances

Section 311/312 - hazard categories....... This product is not hazardous.

Section 313..... None. EPA hazardous air pollutants (HAPS) None.

California Proposition 65..... This product does not contain any chemical(s) known to the State of California to cause

cancer or reproductive toxicity.

SECTION 16: OTHER INFORMATION

REGULATORY AFFAIRS. Trivalent Data Systems Ltd. www.trivalent.com. Prepared by:

(800) 387-7981. Telephone number:.....

Disclaimer:.... DISCLAIMER: All information appearing herein is based upon data obtained from experience and recognized technical sources. To the best of our knowledge, it is believed to be correct as of the date of issue but we make no representations as to its accuracy or sufficiency and do not suggest or guarantee that any hazards listed herein are the only ones which exist. The hazard information contained herein is offered solely for the consideration of the user, subject to his own investigation and verification of compliance

with applicable regulations, including the safe use of the product under every foreseeable condition. The information relates only to the product designated herein, and does not

relate to its use in combination with any other material or in any other process.

Review Date:..... 2021-11-15. Date of the latest revision of the safety ...

data sheet

2018-05-08

