

Pro Form Products Ltd. 604 McGeachie Drive Milton, Ontario, L9T 3Y5 Canada 905-878-4990

#### PRODUCT: 10046 FIBREGLASS CLOTH TAPE

#### **SECTION 01: IDENTIFICATION**

Initial supplier identifier..... Pro Form Products Ltd.

604 McGeachie Drive

Automotive.

Milton, Ontario L9T3Y5 Tel (905) 878-4990 Fax (905) 878-1189

Product identifier..... 10046 FÍBREGLASS CLÒTH TAPE

Recommended use and restrictions on ...

Chemical family..... Fiberglass. Health: 0 Fire: 0 Reactivity: 0. NFPA rating.....

HMIS.....

H: 1 F: 0 R: 0. 24 hour emergency number:.....

For transportation emergencies (in Canada) call CANUTEC 1-888-226-8832 (CAN-UTEC); IN THE UNITED STATES CALL CHEMTREC 1-800-424-9300.

For medical emergencies contact your local poison control centre \*\*.

#### **SECTION 02: HAZARD IDENTIFICATION**

Not a classified or a controlled product.

Hazard Classification..... Not classified. Hazard Description..... Not classified.

Prevention..... No special precautions necessary

This product does not meet the OSHA Hazard Communication, Globally Harmonized Note .....

System or Workplace Hazardous Materials Information System criteria as a controlled or

classified product.

#### **SECTION 03: COMPOSITION / INFORMATION ON INGREDIENTS**

CHEMICAL NAME AND SYNONYMS CAS# WT. %

65997-17-3 98 Glass, oxide, chemicals

## **SECTION 04: FIRST-AID MEASURES**

In case of contact, immediately flush eyes, keeping eyelids open, with plenty of water for at Eye contact.....

least 15 minutes. Consult a physician if irritation continues.

Wash using plenty of soap and water. Remove contaminated clothing. Wash clothing Skin contact.....

Inhalation.....

before reuse. If irritation persists, seek medical attention. If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is

difficult, give oxygen, obtain medical attention.

Ingestion is unlikely. Contact a physician if unusual reaction is noted.

Most important symptoms and effects, ..... May cause slight eye irritation. May cause mild skin irritation. May cause respiratory

whether acute or delayed irritation. May cause mechanical irritation.

Treat victims symptomatically. In the event of an incident involving this product ensure that Additional information.....

medical authorities are provided a copy of this safety data sheet.

#### **SECTION 05: FIRE-FIGHTING MEASURES**

Suitable and unsuitable extinguishing .....

media

Specific hazards arising from the .....

hazardous product, such as the nature of any hazardous combustion products Special protective equipment and .....

precautions for fire-fighters

Use extinguishing media that is applicable to surrounding fire.

Does not support combustion.

Firefighter should be equipped with self-contained breathing apparatus and full protective

clothing to protect against potentially toxic and irritating fumes.

## SECTION 06: ACCIDENTAL RELEASE MEASURES

Remove mechanically by method which minimizes generation of airborne dust (ie. Leak/spill..... Vacuum). Avoid dust accumulation. Pick up. Put in a container.

## **SECTION 07: HANDLING AND STORAGE**

Precautions for safe handling..... Avoid dust generation. Avoid skin and eye contact. Avoid breathing dust. Remove contaminated clothing before reuse. Wash thoroughly after handling. Wash contaminated

clothing prior to reuse. Avoid smoking, drinking or eating in use.

## PRODUCT: 10046 FIBREGLASS CLOTH TAPE

## **SECTION 07: HANDLING AND STORAGE**

Conditions for safe storage, including any Store under cover to protect product. incompatibilities

## **SECTION 08: EXPOSURE CONTROLS / PERSONAL PROTECTION**

| INGREDIENTS  | TWA ACG  | H TLV<br>STEL  | OSHA<br>PEL  | PEL<br>STEL   | NIOSH<br>REL  |
|--|--|--|--|---|---|
| , ,  | Synthetic vitreous fibers: 1 f/cc (continuous filament glass fibers) |  | Total nuisance dust:<br>15 mg/m3<br>Respirable nuisance<br>dust: 5 mg/m3   |   | Total glass dust: 5 mg/m3 Respirable fibers: 3 f/cc   |
| Respiratory/type  Eye/type Gloves/ type Clothing/type  Footwear/type Other/type  Appropriate engineering | re   | ocal exhaust ventilation is commended if the airbor commended if the airbor commended if the airbor course limits. afety glasses. ear protective gloves. ear adequate protective course. afety boots per local regumergency showers and feir hands and face befor rovide natural or mechan course limits. Local mechan contamination, such as opases and fumes that may entilation (ie. ACGIH indulequate ventilation. | clothes. Wear long sleadations. Eve wash stations show the eating, drinking, or unical ventilation to conchanical exhaust ventile process equipments to be emitted. Standard | is near or exceeds the eves and trousers to puld be available. Emploising tobacco products, trol exposure levels belation should be used at or during purging opereference sources regard | revent dermal  byees should wash ow airborne t sources of air rations, to capture arding industrial |

## **SECTION 09: PHYSICAL AND CHEMICAL PROPERTIES**

Appearance/Physical state..... Solid. Fibers assembled into fabrics. White. Colour..... No odour. Odour threshold (ppm)..... Not applicable. Vapour pressure (mm Hg)..... Not applicable. Vapour density (air=1)..... Not applicable. Relative Density (Specific Gravity)..... 2.60. (glass). pH..... Melting / Freezing point (deg C).... Not applicable. > 870 C. Initial boiling point / boiling range (deg C). > 870 C. Solubility..... Insoluble. Evaporation rate..... Not applicable. Does not support combustion. Flash point (deg C), method..... Auto ignition temperature (deg C)..... Not applicable. Upper flammable limit (% vol)..... Lower flammable limit (% vol)..... Not applicable. No Data. Partition coefficient — n-octanol/water.....
VOC (less water)..... No data. No data.

#### **SECTION 10: STABILITY AND REACTIVITY**

Chemical stability...... This is a stable material.

Reactivity ...... Will not react.

Possibility of hazardous reactions............. Will not occur under normal temperature and pressure.

Not Applicable.

Conditions to avoid, including static ....... Hydrofluoric acid will attack glass.

discharge, shock or vibration

Viscosity.....

Hazardous decomposition products......... No hazardous decomposition products when stored and handled correctly.

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

INGREDIENTS LC50 LD50

Glass, oxide, chemicals No data No data

Route of exposure..... Eye contact. Skin contact. Inhalation.

#### **10046 FIBREGLASS CLOTH TAPE** PRODUCT:

## **SECTION 11: TOXICOLOGICAL INFORMATION**

Fiber glass may cause temporary skin irritation in certain individuals. Fiber glass may Effects of acute exposure.....

cause temporary eye irritation and upper respiratory irritation.

Effects of chronic exposure..... No known adverse effects. Carcinogenicity of material..... IARC determined that the data from both human and animal studies was inadequate to

classify continuous filament glass fibers as carcinogenic to humans. Reproductive effects.....

None.

#### **SECTION 12: ECOLOGICAL INFORMATION**

Environmental..... Not classified as an air pollutant.

Persistence and degradability..... Not available.

## **SECTION 13: DISPOSAL CONSIDERATIONS**

Information on safe handling for disposal . and methods of disposal, including any contaminated packaging

Waste material is not considered hazardous. Dispose of waste in accordance with all applicable Federal, Provincial/State and local regulations.

#### **SECTION 14: TRANSPORT INFORMATION**

Not regulated. Not regulated. IATA Classification (Air)..... Not regulated. IMDG Classification (Marine)..... Not regulated.

Marine Pollutant..... No.

In accordance with Part 2.2.1 of the Transportation of Dangerous Goods Regulations (July Proof of Classification.....

2, 2014) - we certify that classification of this product is correct. .

#### **SECTION 15: REGULATORY INFORMATION**

This is an article and not subject to the DSL. All components are either listed or exempt from the TSCA. . TSCA inventory status.....

OSHA..... This product is not hazardous.

SARA Title III

Section 302 - extremely hazardous ....... None.

substances

Section 311/312 - hazard categories....... This product is not hazardous.

Section 313..... None. EPA hazardous air pollutants (HAPS) ..... None.

California Proposition 65.....

This product does not contain any chemical(s) known to the State of California to cause cancer or reproductive toxicity.

# **SECTION 16: OTHER INFORMATION**

REGULATORY AFFAIRS. Trivalent Data Systems Ltd. www.trivalent.com. Prepared by: .....

(800) 387-7981. Telephone number:.....

Disclaimer:.... DISCLAIMER: All information appearing herein is based upon data obtained from experience and recognized technical sources. To the best of our knowledge, it is believed to be correct as of the date of issue but we make no representations as to its accuracy or sufficiency and do not suggest or guarantee that any hazards listed herein are the only ones which exist. The hazard information contained herein is offered solely for the

consideration of the user, subject to his own investigation and verification of compliance with applicable regulations, including the safe use of the product under every foreseeable condition. The information relates only to the product designated herein, and does not

relate to its use in combination with any other material or in any other process.

Review Date:..... 2022-11-30. Date of the latest revision of the safety ...

data sheet

2018-05-08

