



Pro Form Products Ltd.  
604 McGeachie Drive  
Milton, Ontario, L9T 3Y5  
Canada  
905-878-4990

**PRODUCT: 18200 ALUMINIZED SOUND DEADENING SHEETS 12/PK**

### SECTION 01: IDENTIFICATION

Initial supplier identifier..... Pro Form Products Ltd.  
604 McGeachie Drive  
Milton, Ontario L9T3Y5  
Tel (905) 878-4990 Fax (905) 878-1189

Product identifier..... 18200 ALUMINIZED SOUND DEADENING SHEETS 12/PK

Recommended use and restrictions on .. Automotive. This product should not be used for any other purpose other than the ones  
use described in this section.

Chemical family..... Article.

NFPA rating..... Health: 0 Fire: 1 Reactivity: 0.

HMIS..... H:0 F:0 R:0. H:0 F:1 R:0.

24 hour emergency number..... For transportation emergencies (in Canada) call CANUTEC 1-888-226-8832 (CAN-UTEC);  
IN THE UNITED STATES CALL CHEMTREC 1-800-424-9300.  
\*\* For medical emergencies contact your local poison control centre \*\*.

### SECTION 02: HAZARD IDENTIFICATION

Signal Word..... Not a classified or a controlled product.

Hazard Classification..... Not classified.

Hazard Description..... Not classified.

Prevention..... No special precautions necessary.

Note ..... This product does not meet the OSHA Hazard Communication, Globally Harmonized System or Workplace Hazardous Materials Information System criteria as a controlled or classified product.

### SECTION 03: COMPOSITION / INFORMATION ON INGREDIENTS

CHEMICAL NAME AND SYNONYMS	CAS #	WT. %
----------------------------	-------	-------

PRODUCT IS AN ARTICLE AND NOT A CHEMICAL

### SECTION 04: FIRST-AID MEASURES

Eye contact..... Flush for 15 minutes using plenty of water. If irritation persists seek medical attention.

Skin contact..... Wash skin with soap and water. If irritation persists, seek medical attention.

Inhalation..... No specific treatment is necessary since this material is not likely to be hazardous by inhalation.

Ingestion..... Ingestion is unlikely. Contact a physician if unusual reaction is noted.

Most important symptoms and effects, ..... May cause slight eye irritation. May cause mild skin irritation.  
whether acute or delayed

Additional information..... In the event of an incident involving this product ensure that medical authorities are provided a copy of this safety data sheet.

### SECTION 05: FIRE-FIGHTING MEASURES

Suitable and unsuitable extinguishing ..... Carbon dioxide, dry chemical, foam. Treat as a petroleum fire.  
media

Specific hazards arising from the ..... Oxides of carbon (CO, CO2). Hydrocarbons.  
hazardous product, such as the nature of any hazardous combustion products

Special protective equipment and ..... Firefighter should be equipped with self-contained breathing apparatus and full protective  
precautions for fire-fighters clothing to protect against potentially toxic and irritating fumes.

### SECTION 06: ACCIDENTAL RELEASE MEASURES

Leak/spill..... Pick up solids and put in a dust bin. Keep in a suitable, closed container for disposal.

### SECTION 07: HANDLING AND STORAGE

Precautions for safe handling..... Keep away from heat, sparks, and open flame. Handle in accordance with good industrial hygiene and safety practices. Employees should wash hands and face before eating or drinking.

Conditions for safe storage, including any ..... Protect containers from physical damage. Store in a cool, dry and well ventilated area. Do  
incompatibilities not store above 49C.

**PRODUCT: 18200 ALUMINIZED SOUND DEADENING SHEETS 12/PK****SECTION 08: EXPOSURE CONTROLS / PERSONAL PROTECTION**

INGREDIENTS	TWA	ACGIH TLV STEL	PEL	OSHA PEL STEL	REL	NIOSH
Respiratory/type.....						Not applicable. Local exhaust ventilation is recommended.
Eye/type.....						Where contact with this material is possible, eye protection is recommended. May cause eye irritation after repeated or prolonged contact.
Gloves/ type.....						Use of proper hygiene practices in the workplace is recommended. May cause skin irritation after repeated or prolonged contact.
Clothing/type.....						Wear long sleeves and trousers to prevent dermal exposure. May cause skin irritation after repeated or prolonged contact.
Footwear/type.....						Safety boots per local regulations.
Other/type.....						Educate and train employees on the safe use and handling of the product.
Appropriate engineering controls.....						Good general ventilation should be sufficient to control airborne levels.

**SECTION 09: PHYSICAL AND CHEMICAL PROPERTIES**

Appearance/Physical state.....	Soft solid sheets.
Colour.....	Grey.
Odour.....	Faint. Characteristic odour.
Odour threshold (ppm).....	Not applicable.
Vapour pressure (mm Hg).....	Not applicable.
Vapour density (air=1).....	Not applicable.
pH.....	Not applicable.
Relative Density (Specific Gravity).....	1.50.
Melting / Freezing point (deg C).....	Not applicable.
Solubility.....	Not applicable.
Initial boiling point / boiling range (deg C).....	Not applicable.
Evaporation rate.....	Not applicable.
Flash point (deg C), method.....	Not flammable. > 232 COC.
Auto ignition temperature (deg C).....	Not applicable.
Upper flammable limit (% vol).....	Not applicable.
Lower flammable limit (% vol).....	No Data.
Partition coefficient — n-octanol/water.....	No data.
VOC (less water).....	Non volatile.
Viscosity.....	Not Applicable.

**SECTION 10: STABILITY AND REACTIVITY**

Chemical stability.....	Stable at normal temperatures and pressures.
Reactivity .....	Avoid heat, sparks and flames.
Possibility of hazardous reactions.....	Will not occur under normal temperature and pressure.
Conditions to avoid, including static discharge, shock or vibration .....	Keep away from heat. Incompatible with strong solvents.
Hazardous decomposition products.....	Decomposition may produce fumes, smoke, oxides of carbon and hydrocarbons.

**SECTION 11: TOXICOLOGICAL INFORMATION**

INGREDIENTS	LC50	LD50
Route of exposure.....		
Effects of acute exposure.....		
Effects of chronic exposure.....		
Carcinogenicity of material.....		
Reproductive effects.....		

Not expected to pose any hazards.  
 May cause slight eye and slight skin irritation.  
 Prolonged or repeated contact may cause eye and skin irritation.  
 Not applicable. Contains non-inhalable crystalline silica. Exposure to crystalline silica in the form of quartz in the workplace is mainly by the powders or dust generated, for example, during the operation of sawing the cement, sandblasting or transfilling bags or containers that may contain as main material or residue.  
 Not applicable.

**SECTION 12: ECOLOGICAL INFORMATION**

Persistence and degradability.....	Not available.
------------------------------------	----------------

**SECTION 13: DISPOSAL CONSIDERATIONS**

Information on safe handling for disposal and methods of disposal, including any contaminated packaging	Dispose of as an industrial waste in a manner acceptable to good waste management practice and in accordance with applicable local, provincial/State or federal regulations.
---	--

PRODUCT: 18200 ALUMINIZED SOUND DEADENING SHEETS 12/PK

SECTION 14: TRANSPORT INFORMATION

TDG Classification.....	Not regulated.
DOT Classification (Road).....	Not regulated.
IATA Classification (Air).....	Not regulated.
IMDG Classification (Marine).....	Not regulated.
Marine Pollutant.....	No.
Proof of Classification.....	In accordance with Part 2.2.1 of the Transportation of Dangerous Goods Regulations (July 2, 2014) - we certify that classification of this product is correct. .

SECTION 15: REGULATORY INFORMATION

CEPA status.....	This is an article and not subject to the DSL.
SARA Title III	
Section 302 - extremely hazardous substances	None.
Section 311/312 - hazard categories	None.
Section 313	None.
EPA hazardous air pollutants (HAPS) 40CFR63	None.
California Proposition 65	*WARNING: This product contains a chemical known to the State of California to cause cancer. (Carbon black - airborne, unbound particles of respirable size).

SECTION 16: OTHER INFORMATION

Prepared by: .....	REGULATORY AFFAIRS. Trivalent Data Systems Ltd. www.trivalent.com.
Telephone number:.....	(800) 387-7981.
Disclaimer:.....	DISCLAIMER: All information appearing herein is based upon data obtained from experience and recognized technical sources. To the best of our knowledge, it is believed to be correct as of the date of issue but we make no representations as to its accuracy or sufficiency and do not suggest or guarantee that any hazards listed herein are the only ones which exist. The hazard information contained herein is offered solely for the consideration of the user, subject to his own investigation and verification of compliance with applicable regulations, including the safe use of the product under every foreseeable condition. The information relates only to the product designated herein, and does not relate to its use in combination with any other material or in any other process.
Review Date:.....	2022-11-30.
Date of the latest revision of the safety data sheet ..	2018-04-18