SAFETY DATA SHEET

Pro Form Products Ltd. 604 McGeachie Drive Milton, Ontario, L9T 3Y5 Canada 905-878-4990

PRODUCT: 18204 SOUND DEADENING SHEETS

FORM

SECTION 01: IDENTIFICATION

Initial supplier identifier	Pro Form Products Ltd.
	604 McGeachie Drive
	Milton, Ontario L9T3Y5
	Tel (905) 878-4990 Fax (905) 878-1189
Product identifier	18204 SOUND DEADENING SHEETS
Recommended use and restrictions on	Automotive
USe	
	Article, Ethylene-Propylene-Diene-Monomer,
NFPA rating	Article. Ethylene-Propylene-Diene-Monomer. Health: 0 Fire: 0 Reactivity: 0.
HMIS	
24 hour emergency number:	For transportation emergencies (in Canada) call CANUTEC 1-888-226-8832 (CAN-UTEC);
5,	IN THE UNITED STATES CALL CHEMTRÉC 1-800-424-9300.
	** For medical emergencies contact your local poison control centre **.

SECTION 02: HAZARD IDENTIFICATION

Signal Word	Not classified.
Hazard Classification	Not classified.
Hazard Description	No special precautions necessary.
Prevention	This product does not meet the OSHA Hazard Communication, Globally Harmonized
Note	System or Workplace Hazardous Materials Information System criteria as a controlled or
	classified product.

SECTION 03: COMPOSITION / INFOR	RMATION ON INGREDIENTS	6
CHEMICAL NAME AND SYNONYMS	CAS #	WT. %

PRODUCT IS AN ARTICLE AND NOT A CHEMICAL

SECTION 04: FIRST-AID MEASURES

Eye contact	In case of contact, immediately flush eyes, keeping eyelids open, with plenty of water for at least 15 minutes. Flush for 15 minutes using plenty of water. If irritation persists seek medical attention.
Skin contact Inhalation Ingestion Most important symptoms and effects, whether acute or delayed	Not applicable. Not applicable.
Additional information	Not applicable.

SECTION 05: FIRE-FIGHTING MEASURES

Suitable and unsuitable extinguishing Use extinguishing media for surrounding fire.

media Specific hazards arising from the hazardous product, such as the nature of any hazardous combustion products Special protective equipment and precautions for fire-fighters

Oxides of carbon (CO, CO2). Specific hazards arising from the hazardous product, such as the nature of any hazardous combustion products.

Firefighter should be equipped with self-contained breathing apparatus and full protective clothing to protect against potentially toxic and irritating fumes.

SECTION 06: ACCIDENTAL RELEASE MEASURES

Leak/spill.....

Pick up solids and put in a dust bin.

SECTION 07: HANDLING AND STORAGE

Precautions for safe handling.....

Avoid chronic inhalation of dust. Keep away from heat, sparks, and open flame. Employees should wash hands and face before eating or drinking. Store in a cool and dry place, for product integrity.

Conditions for safe storage, including any incompatibilities

Powered by



SAFETY DATA SHEET

PRODUCT: 18204 SOUND DEADENING SHEETS

SECTION 08: EXPOSURE CONTROLS / PERSONAL PROTECTION

INGREDIENTS	TWA	CGIH TLV STEL	PEL	OSHA PEL STEL	NIOSH REL
Respiratory/type Eye/type Gloves/ type Clothing/type Footwear/type Other/type Appropriate engineering		Not applicable. Safety glasses. Cotton or natural fibre glov Not applicable. Safety boots per local regu Educate and train employe None required under norm	ulations. ees on the safe	e use and handling of the produ	ct.

SECTION 09: PHYSICAL AND CHEMICAL PROPERTIES

Appearance/Physical state Colour Odour threshold (ppm) Vapour pressure (mm Hg) Vapour density (air=1) pH Relative Density (Specific Gravity) Melting / Freezing point (deg C) Solubility Initial boiling point / boiling range (deg C). Evaporation rate Flash point (deg C), method Auto ignition temperature (deg C) Upper flammable limit (% vol) Lower flammable limit (% vol) Partition coefficient — n-octanol/water VOC (less water)	0.92 to 0.98. No data. Insoluble in water. Not applicable. Not applicable. Not applicable. Not available. Not applicable. Not applicable. No data. No no volatile.
---	--

SECTION 10: STABILITY AND REACTIVITY

Chemical stability Reactivity	
Possibility of hazardous reactions	
Conditions to avoid, including static discharge, shock or vibration Hazardous decomposition products	

Stable at normal temperatures and pressures. Hazardous polymerization will not occur. Will not occur under normal temperature and pressure. Avoid vapours if heated.

Oxides of carbon (CO,CO2).

SECTION 11: TOXICOLOGICAL INFORMATION

INGREDIENTS	LC50	LD50

Route of exposure Effects of acute exposure	
Effects of chronic exposure Carcinogenicity of material Reproductive effects	Not applicable. This product contains carbon black that is bound in the rubber.

SECTION 12: ECOLOGICAL INFORMATION

Persistence and degradability..... Not available.

SECTION 13: DISPOSAL CONSIDERATIONS

Information on safe handling for disposal . and methods of disposal, including any contaminated packaging

Dispose of waste in accordance with all applicable Federal, Provincial/State and local regulations.





PRODUCT: 18204 SOUND DEADENING SHEETS

SECTION 14: TRANSPORT INFORMATION

	2.1 of the Transportation of Dangerous Goods Regulations (July assification of this product is correct.
--	---

SECTION 15: REGULATORY INFORMATION

CEPA status TSCA inventory status SARA Title III	This is an article and not subject to the DSL. All components are either listed or exempt from the TSCA
Section 302 - extremely hazardous substances	None.
Section 311/312 - hazard categories Section 313 EPA hazardous air pollutants (HAPS)	Zinc compounds.
40CFR63 California Proposition 65	This product does not contain any chemical(s) known to the State of California to cause
	cancer or reproductive toxicity. The carbon black in this product is not airborne/unbound. For more information, go to www.P65Warnings.ca.gov.

SECTION 16: OTHER INFORMATION

Prepared by: Telephone number: Disclaimer:	(800) 387-7981.
Review Date: Date of the latest revision of the safety data sheet	2022-11-30

Powered by