#### SAFETY DATA SHEET

Pro Form Products Ltd. 604 McGeachie Drive Milton, Ontario, L9T 3Y5 Canada 905-878-4990

#### PRODUCT: 25226 DOUBLE SIDED ACRYLIC FOAM TAPE

**FORM** 

#### **SECTION 01: IDENTIFICATION**

Initial supplier identifier	Pro Form Products Ltd. 604 McGeachie Drive
	Milton, Ontario L9T3Y5
	Tel (905) 878-4990 Fax (905) 878-1189
Product identifier	25226 DOUBLE SIDED ACRYLIC FOAM TAPE
Recommended use and restrictions on	Automotive.
use	
Chemical family	Article.
Chemical family Hazard rating	H:0 F:0 R:0.
NFPA rating	Health: 0 Fire: 0 Reactivity: 0.
24 hour emergency number:	For transportation emergéncies (in Canada) call CANUTEC 1-888-226-8832 (CAN-UTEC);
	IN THE UNITED STATES CALL CHEMTREC 1-800-424-9300.
	** For medical emergencies contact your local poison control centre **.

#### SECTION 02: HAZARD IDENTIFICATION

Signal Word	1
Hazard Classification	Ν
Hazard Description	1

Not a classified or a controlled product. Not classified. Not classified.

#### **SECTION 03: COMPOSITION / INFORMATION ON INGREDIENTS**

CHEMICAL NAME AND SYNONYMS

CAS #

100

WT. %

PRODUCT IS AN ARTICLE AND NOT A CHEMICAL

#### **SECTION 04: FIRST-AID MEASURES**

Eye contact	In case of contact, immediately flush eyes, keeping eyelids open, with plenty of water for at least 15 minutes.
Skin contact Inhalation Ingestion Most important symptoms and effects, whether acute or delayed	Not applicable. Not applicable.
	Not applicable. In the event of an incident involving this product ensure that medical authorities are provided a copy of this safety data sheet.

#### SECTION 05: FIRE-FIGHTING MEASURES

Suitable and unsuitable extinguishing ..... Use extinguishing media for surrounding fire. media

Specific hazards arising from the ...... hazardous product, such as the nature of any hazardous combustion products Special protective equipment and ...... precautions for fire-fighters

... Oxides of carbon (CO, CO2).

Firefighter should be equipped with self-contained breathing apparatus and full protective clothing to protect against potentially toxic and irritating fumes. Cool fire-exposed containers with cold water spray. Heat will cause pressure buildup and may cause explosive rupture. Decomposition will occur above 300 C.

#### SECTION 06: ACCIDENTAL RELEASE MEASURES

Leak/spill.....

incompatibilities

Pick up solids and put in a dust bin.

#### SECTION 07: HANDLING AND STORAGE

Precautions for safe handling	
	spa
Conditions for safe storage, including any	Sto

Employees should wash hands and face before eating or drinking. Keep away from heat, sparks, and open flame. Store in a cool and dry place, for product integrity. Keep container closed when not in use. (min/max:0/35 c).

Page 1



#### PRODUCT: 25226 DOUBLE SIDED ACRYLIC FOAM TAPE

#### **SECTION 08: EXPOSURE CONTROLS / PERSONAL PROTECTION**

INGREDIENTS	TWA	ACGIH TLV STEL	PEL	OSHA PEL STEL	NIOSH REL
Eye/type Not applicable.   Respiratory/type Not applicable.   Gloves/ type Not applicable.   Clothing/type Wear adequate protective clothes.   Footwear/type Safety boots per local regulations.					
Other/type		. Educate and train employ should wash their hands a	ees on the	safe use and handling of the produ fore eating, drinking, or using toba	ict. Employees cco products.

#### **SECTION 09: PHYSICAL AND CHEMICAL PROPERTIES**

Appearance/Physical state Colour Odour threshold (ppm) Vapour pressure (mm Hg) Vapour density (air=1) pH Relative Density (Specific Gravity) Melting / Freezing point (deg C) Solubility Initial boiling point / boiling range (deg C). Evaporation rate Flash point (deg C), method Auto ignition temperature (deg C) Upper flammable limit (% vol) Lower flammable limit (% vol) Partition coefficient — n-octanol/water VOC (less water)	Not applicable. Not applicable. No data. Not applicable. Insoluble. Not applicable. Not applicable.
---	---

#### **SECTION 10: STABILITY AND REACTIVITY**

Chemical stability	Stable at normal temperature
Reactivity	Avoid heat, sparks and flame
Possibility of hazardous reactions	Will not occur under normal te
Conditions to avoid, including static discharge, shock or vibration	Keep away from heat.
discharge, shock or vibration	
Hazardous decomposition products	Oxides of carbon (CO,CO2).

Stable at normal temperatures and pressures. Avoid heat, sparks and flames. Will not occur under normal temperature and pressure. Keep away from heat.

# SECTION 11: TOXICOLOGICAL INFORMATION

INGREDIENTS		LC50	LD50
Route of exposure Effects of acute exposure			
Effects of chronic exposure Carcinogenicity of material Reproductive effects	Not applicable.		

#### **SECTION 12: ECOLOGICAL INFORMATION**

Persistence and degradability.....

Not available.

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

Information on safe handling for disposal . and methods of disposal, including any contaminated packaging

Dispose of waste in accordance with all applicable Federal, Provincial/State and local regulations.



#### PRODUCT: 25226 DOUBLE SIDED ACRYLIC FOAM TAPE

### **SECTION 14: TRANSPORT INFORMATION**

TDG Classification DOT Classification (Road) IATA Classification (Air) IMDG Classification (Marine)	Not regulated. Not regulated.
Marine Pollutant	No.
Proof of Classification	In accordance with Part 2.2.1 of the Transportation of Dangerous Goods Regulations (July 2, 2014) - we certify that classification of this product is correct.

SECTION 15: REGULATORY INFORMATION

CEPA status TSCA inventory status SARA Title III	This is an article and not subject to the DSL.	
Section 302 - extremely hazardous	Not evaluated.	
Section 311/312 - hazard categories Section 313		
California Proposition 65		

## **SECTION 16: OTHER INFORMATION**

Prepared by: Telephone number: Disclaimer:	DISCLAIMER: All information appearing herein is based upon data obtained from experience and recognized technical sources. To the best of our knowledge, it is believed to be correct as of the date of issue but we make no representations as to its accuracy or sufficiency and do not suggest or guarantee that any hazards listed herein are the only ones which exist. The hazard information contained herein is offered solely for the consideration of the user, subject to his own investigation and verification of compliance with applicable regulations, including the safe use of the product under every foreseeable condition. The information relates only to the product designated herein, and does not relate to its use in combination with any other material or in any other process.
Review Date: Date of the latest revision of the safety data sheet	2022-11-30.

Powered by