

Pro Form Products Ltd. 604 McGeachie Drive Milton, Ontario, L9T 3Y5 Canada 905-878-4990

# PRODUCT: PB 1001-5 CHERRY EXPLOSION CAR SOAP CONCENTRATE

#### **SECTION 01: IDENTIFICATION**

Initial supplier identifier..... Pro Form Products Ltd. 604 McGeachie Drive

Milton, Ontario L9T3Y5 Tel (905) 878-4990 Fax (905) 878-1189

PB 1001-5 CHERRY EXPLOSION CAR SOAP CONCENTRATE

Product identifier..... Recommended use and restrictions on ..

Cleaner.

Mixture. Health: 2 Fire: 0 Reactivity: 0. Chemical family.....

NFPA rating.... H: 2 F: 0 R: 0.

For transportation emergencies (in Canada) call CANUTEC 1-888-226-8832 (CAN-UTEC); IN THE UNITED STATES CALL CHEMTREC 1-800-424-9300.

\*\* For medical emergencies contact your local poison control centre \*\*. 24 hour emergency number:.....

# **SECTION 02: HAZARD IDENTIFICATION**



Signal Word	DANGER.
Signal WordHazard Classification	Skin Irritation — Category 2. Eye Irritation — Category 2A. Specific Target Organ Toxicity
	— Repeated Exposure — Category 1.
Hazard Description	H315 Causes skin irritation. H319 Causes serious eye irritation. H372 Causes damage to
·	organs through prolonged or repeated exposure.
Prevention	P260 Do not breathe mist, vapours, or spray. P264 Wash thoroughly after handling. P270
	Do not eat drink or smoke while using this product. P280 Wear protective gloves and eye
	protection.
Response	P305 + P351 + P338 If in eyes rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing until medical help arrives. P337
	+ P313 - If eye irritation persists get medical attention. P302 + P352 - If on skin: wash with
	plenty of water. P332 + P313 - If skin irritation occurs get medical attention or advice. P362
	+ P364 - Take off contaminated clothing and wash before reuse. P314 - Get medical
	advice/attention if you feel unwell.
Storage	P405 Store locked up.
Disposal	
Note	This product mixture has been classified based on its ingredients.

SECTION 03: COMPOSITION / INFORMATION ON INGREDIENTS				
CHEMICAL NAME AND SYNONYMS	CAS#	WT. %		
Benzenesulfonic acid, C10-16 alkyl derivatives	68584-22-5	1-5		
Sodium laureth sulphate	9004-82-4	0.5-2		
Monoethanolamine	141-43-5	0.1-1		

# **SECTION 04: FIRST-AID MEASURES**

Eye contact	In case of contact, immediately flush eyes, keeping eyelids open, with plenty of water for at
	least 15 minutes. Obtain medical attention.
Skin contact	Remove all contaminated clothing and immediately wash the exposed areas with copious
	amounts of water for a minimum of 30 minutes or up to 60 minutes for critical body areas. If
	irritation persists, seek medical attention.
Inhalation	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is
	difficult, give oxygen, obtain medical attention.

### PRODUCT: PB 1001-5 CHERRY EXPLOSION CAR SOAP CONCENTRATE

### **SECTION 04: FIRST-AID MEASURES**

to prevent aspiration of fluid into the lungs. Never give anything by mouth to an

unconscious person.

Most important symptoms and effects, .....

Additional information.....

whether acute or delayed

Harmful if swallowed, in contact with skin or if inhaled. May cause respiratory irritation. Causes skin and eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Direct contact with eyes may cause temporary irritation. Causes damage to organs through prolonged or repeated exposure.

Treat victims symptomatically. In the event of an incident involving this product ensure that

medical authorities are provided a copy of this safety data sheet.

#### **SECTION 05: FIRE-FIGHTING MEASURES**

Suitable and unsuitable extinguishing ..... media

Media suitable for other combustible materials in the area.

Special protective equipment and .....precautions for fire-fighters

Firefighter should be equipped with self-contained breathing apparatus and full protective clothing to protect against potentially toxic and irritating fumes. Cool fire-exposed containers with cold water spray. Heat will cause pressure buildup and may cause explosive rupture. Keep run-off water from entering sewers and other waterways. Dike for

water control.
None expected.

Combustion will result in the usual decomposition products, including oxides of carbon.

# **SECTION 06: ACCIDENTAL RELEASE MEASURES**

Leak/spill.....

Spilled product causes a risk of slipping. Contain the spill. Avoid all personal contact. Ventilate. Eliminate all sources of ignition. Prevent runoff into drains, sewers, and other waterways. Absorb with an inert dry material and place in an appropriate waste container.

# **SECTION 07: HANDLING AND STORAGE**

Precautions for safe handling.....

Avoid all skin contact and ventilate adequately, otherwise wear an appropriate breathing apparatus. Avoid breathing vapours or mist. Handle and open container with care.

Conditions for safe storage, including any incompatibilities

Employees should wash hands and face before eating or drinking. Store in a cool and dry place, for product integrity. Keep container closed when not in use. Store away from all sources of heat and ignition. Store away from oxidizing and reducing materials.

#### **SECTION 08: EXPOSURE CONTROLS / PERSONAL PROTECTION**

INGREDIENTS	TWA	CGIH TLV STEL	OSH/ PEL	A PEL STEL	NIOSH REL
Benzenesulfonic acid, C10-16 alkyl derivatives	Not Established	Not Established	Not Established	Not Established	Not Established
Sodium laureth sulphate	Not Established	Not Established	Not Established	Not Established	Not Established
Monoethanolamine	3 ppm	6 ppm	Not Established	Not Established	Not Established
Respiratory/type  Eye/type  Gloves/ type  Clothing/type  Footwear/type  Other/type  Appropriate engineering		Local exhaust ventilation is when contaminant levels of Liquid chemical goggles. Exists.  Chemical resistant gloves Wear adequate protective Safety boots per local regular Emergency showers and their hands and face before Provide natural or mechan exposure limits. Local mecontamination, such as orgases and fumes that may ventilation (ie. ACGIH indicadequate ventilation.	exceed the recomment Chemical safety gogglands.  c clothes. ulations. eye wash stations show re eating, drinking, or inical ventilation to cor chanical exhaust vention of process equipment y be emitted. Standard	ded exposure limits.  les and full faceshield if  build be available. Emplousing tobacco products  atrol exposure levels be  ilation should be used a  at, or during purging oped  d reference sources reg	a splash hazard  byees should wash  low airborne t sources of air erations, to capture arding industrial

#### PRODUCT: PB 1001-5 CHERRY EXPLOSION CAR SOAP CONCENTRATE

### **SECTION 09: PHYSICAL AND CHEMICAL PROPERTIES**

Appearance/Physical state..... Liquid. Colour..... Clear to pale yellow. Odour.....Odour threshold (ppm)..... Fruity characteristic. Not available. Vapour pressure (mm Hg)..... No data. Similar to water. Vapour density (air=1)..... Similar to water. 6.0 - 8.0. 8.39 lbs/USG; 1.005. pH......Relative Density (Specific Gravity)..... Melting / Freezing point (deg C)..... ~ 0°C. Initial boiling point / boiling range (deg C). ~ 100°C. Solubility..... Soluble. Evaporation rate.....Flash point (deg C), method..... No data. >93.4°C, >200°F. Auto ignition temperature (deg C)..... > 400°C Upper flammable limit (% vol)..... Lower flammable limit (% vol)..... Partition coefficient — n-octanol/water..... Not applicable. Not applicable. Not available. VOC (less water)..... 0.01 lb/usg; 1.2 g/L. Viscosity..... 4500-5000 cps Spindle #4.

#### SECTION 10: STABILITY AND REACTIVITY

Chemical stability..... Stable at normal temperatures and pressures.

Reactivity ......Possibility of hazardous reactions..... Product is stable; hazardous polymerization will not occur.

Hazardous polymerization will not occur.

Conditions to avoid, including static ....... Avoid vapours if heated. Extreme temperatures.

discharge, shock or vibration Hazardous decomposition products...... See hazardous combustion products section 5.

### **SECTION 11: TOXICOLOGICAL INFORMATION**

	INGREDIENTS	LC50	LD50	
Benzenesulfonic acid, C10-16 alkyl derivatives		Not Available	Not Available	
	Sodium laureth sulphate	Not Available	1600 mg/kg (oral, rat)	
Monoethanolamine 2			1720 mg/kg Rat Oral 1018 mg/kg Rabbit Dermal	
Route of exposure Eye contact. Skin contact. Inhalation.				

tract irritation.

Breathing high concentrations of vapour may cause anesthetic effects and serious health Effects of chronic exposure.....

effects. Prolonged or repeated skin contact may cause drying or cracking of skin.

No component of this product present at levels greater than or equal to 0.1% is identified Carcinogenicity of material.....

as probable, possible or confirmed human carcinogen by IARC or ACGIH.

Reproductive effects..... No known reproductive effects.

Specific Target Organ Toxicity ..... Causes damage to organs through prolonged or repeated exposure .

# **SECTION 12: ECOLOGICAL INFORMATION**

Environmental..... Not available. Persistence and degradability..... Not available.

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

Information on safe handling for disposal. and methods of disposal, including any contaminated packaging

Dispose of waste in accordance with all applicable Federal, Provincial/State and local regulations.

#### **SECTION 14: TRANSPORT INFORMATION**

TDG Classification..... Not regulated. DOT Classification (Road)..... Not regulated. IATA Classification (Air).....IMDG Classification (Marine)..... Not regulated. Not regulated. Marine Pollutant.....

Proof of Classification..... In accordance with Part 2.2.1 of the Transportation of Dangerous Goods Regulations (July 2, 2014) - we certify that classification of this product is correct. .

# PRODUCT: PB 1001-5 CHERRY EXPLOSION CAR SOAP CONCENTRATE

### **SECTION 15: REGULATORY INFORMATION**

CEPA status..... On DSL, or exempt.

TSCA inventory status..... All components are either listed or exempt from the TSCA. .

OSHA.

SARA Title III

Section 302 - extremely hazardous .......

substances

Section 311/312 - hazard categories.......

Section 313.....

EPA hazardous air pollutants (HAPS) ......

40CFR63

California Proposition 65.....

This product is considered hazardous under the OSHA Hazard Communication Standard.

Sulphuric acid.

Immediate health, delayed health. None above De minimus % limit.

Diethanolamine. Methylene Chloride (Dichloromethane).

\*\*\*! WARNING: This product can expose you to chemicals including [see below], which are known to the State of California to cause cancer. (Dichloroprene). (Methylene chloride). (Strong inorganic acid mists containing sulfuric acid). For more inform

to www.P65Warnings.ca.gov.

### **SECTION 16: OTHER INFORMATION**

REGULATORY AFFAIRS. Trivalent Data Systems Ltd. www.trivalent.com. Prepared by: .....

(800) 387-7981. Telephone number:.....

DISCLAIMER: All information appearing herein is based upon data obtained from Disclaimer:..... experience and recognized technical sources. To the best of our knowledge, it is believed to be correct as of the date of issue but we make no representations as to its accuracy or sufficiency and do not suggest or guarantee that any hazards listed herein are the only ones which exist. The hazard information contained herein is offered solely for the consideration of the user, subject to his own investigation and verification of compliance with applicable regulations, including the safe use of the product under every foreseeable condition. The information relates only to the product designated herein, and does not

relate to its use in combination with any other material or in any other process.

Review Date:.... 2022-11-30. Date of the latest revision of the safety ... 2018-07-13

data sheet