



Pro Form Products Ltd.  
604 McGeachie Drive  
Milton, Ontario, L9T 3Y5  
Canada  
905-878-4990

**PRODUCT: PF 957 PREMIUM DOUBLE SIDED ACRYLIC FOAM TAPE**

### SECTION 01: IDENTIFICATION

Initial supplier identifier..... Pro Form Products Ltd.  
604 McGeachie Drive  
Milton, Ontario L9T3Y5  
Tel (905) 878-4990 Fax (905) 878-1189

Product identifier..... PF 957 PREMIUM DOUBLE SIDED ACRYLIC FOAM TAPE

Recommended use and restrictions on .. Automotive.  
use

Chemical family..... Article.

Hazard rating..... H:0 F:0 R:0.

NFPA rating..... Health: 0 Fire: 0 Reactivity: 0.

24 hour emergency number..... For transportation emergencies (in Canada) call CANUTEC 1-888-226-8832 (CAN-UTEC);  
IN THE UNITED STATES CALL CHEMTREC 1-800-424-9300.  
\*\* For medical emergencies contact your local poison control centre \*\*.

### SECTION 02: HAZARD IDENTIFICATION

Signal Word..... Not a classified or a controlled product.

Hazard Classification..... Not classified.

Hazard Description..... Not classified.

### SECTION 03: COMPOSITION / INFORMATION ON INGREDIENTS

CHEMICAL NAME AND SYNONYMS	CAS #	WT. %
PRODUCT IS AN ARTICLE AND NOT A CHEMICAL	.	100

### SECTION 04: FIRST-AID MEASURES

Eye contact..... In case of contact, immediately flush eyes, keeping eyelids open, with plenty of water for at least 15 minutes.

Skin contact..... Wash slowly with lukewarm water.

Inhalation..... Not applicable.

Ingestion..... Not applicable.

Most important symptoms and effects, ....., No hazard expected.  
whether acute or delayed

Additional information..... Not applicable. In the event of an incident involving this product ensure that medical authorities are provided a copy of this safety data sheet.

### SECTION 05: FIRE-FIGHTING MEASURES

Suitable and unsuitable extinguishing ..... Use extinguishing media for surrounding fire.  
media

Specific hazards arising from the ..... Oxides of carbon (CO, CO2).  
hazardous product, such as the nature of  
any hazardous combustion products

Special protective equipment and ..... Firefighter should be equipped with self-contained breathing apparatus and full protective  
precautions for fire-fighters clothing to protect against potentially toxic and irritating fumes. Cool fire-exposed  
containers with cold water spray. Heat will cause pressure buildup and may cause  
explosive rupture. Decomposition will occur above 300 C.

### SECTION 06: ACCIDENTAL RELEASE MEASURES

Leak/spill..... Pick up solids and put in a dust bin.

### SECTION 07: HANDLING AND STORAGE

Precautions for safe handling..... Employees should wash hands and face before eating or drinking. Keep away from heat,  
sparks, and open flame.

Conditions for safe storage, including any ..... Store in a cool and dry place, for product integrity. Keep container closed when not in use.  
incompatibilities (min/max:0/35 c).

**PRODUCT: PF 957 PREMIUM DOUBLE SIDED ACRYLIC FOAM TAPE****SECTION 08: EXPOSURE CONTROLS / PERSONAL PROTECTION**

INGREDIENTS	TWA	ACGIH TLV STEL	PEL	OSHA PEL STEL	REL	NIOSH
-------------	-----	-------------------	-----	------------------	-----	-------

Eye/type..... Not applicable.  
 Respiratory/type..... Not applicable.  
 Gloves/ type..... Not applicable.  
 Clothing/type..... Wear adequate protective clothes.  
 Footwear/type..... Safety boots per local regulations.  
 Other/type..... Educate and train employees on the safe use and handling of the product. Employees should wash their hands and face before eating, drinking, or using tobacco products.  
 Appropriate engineering controls..... General ventilation.

**SECTION 09: PHYSICAL AND CHEMICAL PROPERTIES**

Appearance/Physical state..... Tape.  
 Colour..... Various colours. (Prolonged storage may lead to discolouration.)  
 Odour..... Slight.  
 Odour threshold (ppm)..... Not applicable.  
 Vapour pressure (mm Hg)..... Not applicable.  
 Vapour density (air=1)..... Not applicable.  
 pH..... Not applicable.  
 Relative Density (Specific Gravity)..... No data.  
 Melting / Freezing point (deg C)..... Not applicable.  
 Solubility..... Insoluble.  
 Initial boiling point / boiling range (deg C). Not applicable.  
 Evaporation rate..... Not applicable.  
 Flash point (deg C), method..... Not applicable.  
 Auto ignition temperature (deg C)..... Not applicable.  
 Upper flammable limit (% vol)..... Not applicable.  
 Lower flammable limit (% vol)..... No Data.  
 Partition coefficient — n-octanol/water..... No data.  
 VOC (less water)..... No data.  
 Viscosity..... No data.

**SECTION 10: STABILITY AND REACTIVITY**

Chemical stability..... Stable at normal temperatures and pressures.  
 Reactivity ..... Avoid heat, sparks and flames.  
 Possibility of hazardous reactions..... Will not occur under normal temperature and pressure.  
 Conditions to avoid, including static ..... Keep away from heat.  
 discharge, shock or vibration  
 Hazardous decomposition products..... Oxides of carbon (CO,CO2).

**SECTION 11: TOXICOLOGICAL INFORMATION**

INGREDIENTS	LC50	LD50
-------------	------	------

Route of exposure..... Not expected to pose any hazards.  
 Effects of acute exposure..... According to our experience, if the product is handled properly and the usual rules of occupational hygiene adhered to, risks are improbable. May cause mechanical irritation.  
 Effects of chronic exposure..... Not applicable.  
 Carcinogenicity of material..... Not applicable.  
 Reproductive effects..... Not applicable.

**SECTION 12: ECOLOGICAL INFORMATION**

Persistence and degradability..... Not available.

**SECTION 13: DISPOSAL CONSIDERATIONS**

Information on safe handling for disposal and methods of disposal, including any contaminated packaging ..... Dispose of waste in accordance with all applicable Federal, Provincial/State and local regulations.

**PRODUCT: PF 957 PREMIUM DOUBLE SIDED ACRYLIC FOAM TAPE****SECTION 14: TRANSPORT INFORMATION**

TDG Classification.....	Not regulated.
DOT Classification (Road).....	Not regulated.
IATA Classification (Air).....	Not regulated.
IMDG Classification (Marine).....	Not regulated.
Marine Pollutant.....	No.
Proof of Classification.....	In accordance with Part 2.2.1 of the Transportation of Dangerous Goods Regulations (July 2, 2014) - we certify that classification of this product is correct. .

**SECTION 15: REGULATORY INFORMATION**

CEPA status.....	This is an article and not subject to the DSL.
TSCA inventory status	
SARA Title III	
Section 302 - extremely hazardous ..... substances	Not evaluated.
Section 311/312 - hazard categories.....	None.
Section 313.....	Not evaluated.
California Proposition 65.....	Not evaluated.

**SECTION 16: OTHER INFORMATION**

Prepared by: .....	REGULATORY AFFAIRS. Trivalent Data Systems Ltd. <a href="http://www.trivalent.com">www.trivalent.com</a> .
Telephone number:.....	(800) 387-7981.
Disclaimer:.....	DISCLAIMER: All information appearing herein is based upon data obtained from experience and recognized technical sources. To the best of our knowledge, it is believed to be correct as of the date of issue but we make no representations as to its accuracy or sufficiency and do not suggest or guarantee that any hazards listed herein are the only ones which exist. The hazard information contained herein is offered solely for the consideration of the user, subject to his own investigation and verification of compliance with applicable regulations, including the safe use of the product under every foreseeable condition. The information relates only to the product designated herein, and does not relate to its use in combination with any other material or in any other process.
Review Date:.....	2022-11-30.
Date of the latest revision of the safety .. data sheet	2018-04-24